

Jerko



This is what we offer

Mobile, compact and versatile.

Whether it is used as a manual spray system or on a fully automatic robot spray system — the compact supply container with the 45-litre stainless steel container is suited for all tasks.

It is serially produced with a pneumatic lifting device so as to enable particularly easy handling.

With its well established components, the spray device is perfect for continuous use.

The device can be employed to spray lubricants or release agents with a high solids content.

To replace or clean the container, the whole container lid including all attachments is pneumatically lifted.

The advantages — an overview

- Compact, mobile and manoeuvrable
- Easy to operate
- Easy to clean
- Replaceable container
- Robust pump technology
- Stirrer
- Inexpensive
- 100 % rustproof (in contact with medium)
- Designed and built according to Machinery Directive 2006/42/EC

Pro 6

Useable Volume: 45 Litre

Pump: pneumatic diaphragm pump

Pressure: 6 bar

Stirrer: Stirrer blade freely configurable

Features: Pneumatic lifting device

Pressure regulator for atomizing air

Pressure regulator for lubrication pressure

Jerko Basic HSL-1 450 mm

Hose package 3 m

Connection: ½" compressed air

16A CEE

½" water for rinsing

Pro 12

Useable Volume: 45 Litre

Pump: pneumatic piston pump

Pressure: 12 bar

Stirrer: Stirrer blade freely configurable

Features: Pneumatic lifting device

Pressure regulator for atomizing air

Pressure regulator for lubrication pressure

Jerko Basic HSL-1 450 mm

Hose package 3 m

Connection: ½" compressed air

16A CEE

½" water for rinsing



JERKO your goal - our challenge